

Spin-orbital entanglement in magnetic quantum materials

D. Gotfryd,^{1,2} E. M. Paerschke,³ J. Chaloupka,⁴ A. M. Oles,^{1,5} and K. Wohlfeld²

¹*Institute of Theoretical Phys., Jagiellonian University, PL-30348 Krakow, Poland*

²*Institute of Theoretical Phys., University of Warsaw, PL-02093 Warsaw, Poland*

³*Institute of Science and Technology, A-3400 Klosterneuburg, Austria*

⁴*CEITEC, Masaryk University, CZ-62500 Brno, Czech Republic*

⁵*Max Planck Institute for Solid State Research, D-70569 Stuttgart, Germany*

Strong relativistic spin-orbit coupling (SOC) in $4d$ and $5d$ materials leads to novel phenomena such as the complex phase behaviour observed in the extended Kitaev-Heisenberg model [1]. In this context we investigate spin-orbital entanglement (SOE) which plays a crucial role in the understanding of strongly correlated electrons in transition metal oxides. We study a transparent example of the intimate relation between quantum entanglement and SOC. To this end we numerically diagonalize one-dimensional spin-orbital model with the $SU(2)\otimes SU(2)$ ‘Kugel – Khomskii’ exchange supplemented by SOC of the Ising type for chains up to $L = 20$ sites [2,3]. We observe a substantial difference in the entanglement for small versus large SOC. While most of the features of the ground state with small SOC resemble the vanishing SOC limit, the phase diagram for large SOC regime is divided between the classical fluctuation-free region and surprisingly vast region where quantum fluctuations persist, including highly quantum ‘stripe’-like area with maximal SOE. From a broader perspective, these results provide a basis to infer the generic properties of entanglement in transition metal oxides with finite SOC at higher dimension.

References:

[1] J. Rusnacko, D. Gotfryd, and J. Chaloupka, Phys. Rev. B 99, 064425 (2019)

[2] D. Gotfryd, E. M. Paerschke, J. Chaloupka, A. M. Oles, and K. Wohlfeld, Phys. Rev. Research 2, 013353 (2020)

[3] D. Gotfryd, E. M. Paerschke, K. Wohlfeld, and A. M. Oles, Condens. Matter 5, 53 (2020)

We kindly thank National Science Centre (NCN) Projects No. 2016/23/B/ST3/00839 and 2016/22/E/ST3/00560