## Corrugated YIG films as basic elements for 3D magnonics

V. Sakharov,<sup>1</sup> Y. Khivintsev,<sup>1,2</sup> A. Sadovnikov,<sup>2</sup> E. Beginin,<sup>2</sup> S. Vysotskii,<sup>1,2</sup>

A. Stognij,<br/>3 Y. Filimonov,<br/>1,2 and S. Nikitov<br/>2,4

<sup>1</sup>Kotelnikov IRE RAS, Saratov branch, Russia
<sup>2</sup>Saratov State University, Russia
<sup>3</sup>Scientific-Practical Materials Research Center NAS, Belarus
<sup>4</sup>Kotelnikov IRE RAS, Moscow, Russia

In this work, we consider corrugated magnetic films (with the corrugation depth exceeding film thickness) which can be used as one of the possible basic elements for 3D arrangement of magnonic divices [1-3]. Both experimentally and theoretically, we explore propagation of spin waves (SW) in corrugated yttrium-iron garnet (YIG) films deposited by ion-beam sputtering on gadolinium gallium garnet substrates with periodical arrays of etched grooves. Effects of SW spectrum quantization, Bragg diffraction and discrete diffraction were found out to develop in the studied samples. It was shown that consideration of the corrugated YIG films according to the model of effective medium can give the dispersion of surface SW in the long-wavelength region and the position of long-wavelength boundary frequency having good agreement with the experiment.

Size reduction of magnonic elements for the aim of miniaturization leads to the decrease of SW wavelength, thus, resulting in necessity to use exchange-dominated SW (EDSW). We demonstrate experimentally and by modelling that EDSW can be generated at a thickness step under microwave uniform pumping or pumping through the surface SW propagating across the step [4].

## **References:**

 V.K. Sakharov, E.N. Beginin, Y.V. Khivintsev, A.V. Sadovnikov, A.I. Stognij, Y.A. Filimonov, S.A. Nikitov. Spin waves in meander shaped YIG film: Toward 3D magnonics // Appl. Phys. Let. V. 117. 022403 (2020).

[2] E.N. Beginin, A.V. Sadovnikov, V.K. Sakharov, A.I. Stognij, Y.V. Khivintsev, S.A. Nikitov. Collective and localized modes in 3D magnonic crystals // JMMM. V. 492. 165647 (2019).

[3] V.K. Sakharov, Y.V. Khivintsev, A.I. Stognij, S.L. Vysotskii, Y.A. Filimonov, E.N. Beginin, A.V. Sadovnikov, S.A. Nikitov. Spin-wave excitations in YIG films grown on corrugated substrates // J. Physics: Conf. Series. V. 1389. 012140 (2019).

[4] S.L. Vysotskii, A.V. Sadovnikov, G.M. Dudko, A.V. Kozhevnikov, Y.V. Khivintsev, V.K. Sakharov, N.N. Novitskii, A.I. Stognij, Y.A. Filimonov. Spin-waves generation at the thickness step of yttrium iron garnet film // Appl. Phys. Let. V. 117. 102403 (2020).

This work was performed in the framework of state task No. 0030-2019-0013 "Spintronics" and partly supported by the RFBR Grant (Project No. 20-57-00008). S.A.N. acknowledges support of the Government of the Russian Federation (Agreement No. 074-02-2018-286) within the laboratory Terahertz Spintronics of the Moscow Institute of Physics and Technology.