

Magnetic cuboidal particles as field sensors for microscaled magnetic stray field landscapes

J. Bugase,^{1,2} C. Janzen,¹ A. Vereijken,¹ Y. Shubbak,¹ N. Weidt,¹
R. Huhnstock,¹ and A. Ehresmann¹

¹*Institute of Physics and Center for Interdisciplinary Nanostructure
Science and Technology (CINSaT), University of Kassel*

²*School of Physical Sciences, C. K. Tedam University
of Technology and Applied Sciences, Ghana*

Recently, magnetic domain patterns engineered in thin-film systems have been widely used in data storage, spintronics, and magnetic imaging. Characterizing the micron-scale magnetic stray fields emerging from these patterns remains a topical but challenging task[1]. We present a non-mechanical, optically trackable method to visualize effective magnetic field directions using anisotropically shaped magnetic particles. These particles are fabricated via 2-photon polymerization lithography and magnetic exchange-biased layer deposition to impinge remnant magnetization and achieve custom shapes and anisotropies. When positioned in the field landscape of a periodically patterned substrate [2] within a quiescent liquid, the particles spontaneously orient and reorient in response to local micron-scale stray fields. This enables efficient characterization of complex micro magnetic structures. We further explore probing local field variations with superimposed external fields, facilitating diagnostic and biomedical microfluidic applications [3].

References:

- [1] N. Nistico et. al. Inorganics, 8(1), (2020), 6
- [2] D. Holzinger et. al. J. Applied Phys, 11, (2013), 013908
- [3] A. Ehresmann, et. al., Sensors 2015, 15, 28854-28888

Alexander von Humboldt Stiftung